2019版

CHINA

Add：10 xingye road, fuding city, fujian province, China
Tel：086-0593-7086888
Fax：086-0593-7916799
Mobile：086-151 6056 1333
Wed：Https://fdhaiyan.1688.com



FU JIAN HAI YAN PROPELLER CO.,LTD



INTRODUCTION

A BRIEF INTRODUCTION TO THE COMPANY

Fujian Hai Yan on-hook co.,ltd is located in the east coast of china sea, at the Zhe jiang and Fujian'S border,around the mountain. The company was found in 1991, with 20 years development, now has 80 employees, 30,000 square meter factory site, and production capacity of 30,000 sets , can be a high technology private enterprise with independently design , development ,producing and sales function.

The company mainly make "HAI YAN" brand propeller with series of 6~36horsepower and 6~300 horsepower, owning more kind of style like unicersal model, hydraulic pressure model; clutch model, gain the 26 items patents on product appearance and utility model patent , has got through ISO 9001 Certificate approval , Our product has a nice appearance, operate easily ,and can use at a long time, and is widely applied to all kinds of operation type

The company take the enterprise spirit of "Skip over the waves and wisely stand the tide", continuously introduce the high technology and facilities, improve the company management system and product quality,

Make the product marketing the country,gain widely reputation. We are to be a largest Marine products bottom ZengYang enterprise, within the ten year in a row. independently developed biggest agricultural industrialization national key leading enterprise ZHANGZI island group(Shenzhen Stock Exchange: 002069),and to be the only supplier for Hanging paddle machine .

The company has targeted to be the largest company in this industry, keeping to get trust depending on the good quality. Actively explore the oversea market, we sincerely hope to cooperate with you ,Create a beautiful tomorrow.

Corporate Culture

Enterprise Idea:

Customer satisfaction is the eternal pursuit of enterprises, Win–win cooperation and development

Enterprise Purpose:

Talents as motivation, Technology as core, Quality as Life and market as goal

Values:

Integrity based on innovation

Cultural Essence:

Efficiency achieves brand quality casts future

Cooperation Idea:

Integrity, Win–win, Responsibility and innovation

Enterprise Mission:

Strive to be the industry leader and lead the world in the future

Global Quality, Endless Pursuit



The Enterprise Management











SIEMENS 西门子

Mori Seiki

Mitutoyo

Ingersoll Rand

MaZak FAG ATLAS COPCO

ON-HOOK SERIES



Petrel Propeller 7GS6

Model：7GS6
Name：6P on-hook
Material：Stainless steel、Cast Iron、Cast Steel
Specification：0.6~2.0M
Purpose：Transport、 Fishing、Breeding...



Petrel Propeller 7GS8

Model：7GS8
Name：8P on-hook
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~2.0M
Purpose：Transport、 Fishing、Breeding...



Petrel Propeller 7GS10

Model：7GS10
Name：10P on-hook
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~2.0M
Purpose：Transport、 Fishing、Breeding...



Petrel Propeller 7GS12

Model：7GS12
Name：12P on-hook
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~3.0M
Purpose：Transport、 Fishing、Breeding...

ON-HOOK SERIES



[Petrel Propeller 7GS20]

Model：7GS20
Name：20P on-hook
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~3.0M
Purpose：Transport、 Fishing、Breeding...



[Petrel Propeller 7GS32]

Model：7GS32
Name：32P on-hook
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~3.0M
Purpose：Transport、 Fishing、Breeding...



[Petrel Propeller 7GSJ8]

Model：7GSJ8
Name：8P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~2.0M
Purpose：Transport、 Fishing、Breeding...



[Petrel Propeller 7GSJ10]

Model：7GSJ10
Name：10P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~2.0M
Purpose：Transport、 Fishing、Breeding...

LANDLINE MACHINE SERIES



[Petrel Propeller 7GSJ12]

Model：7GSJ12
Name：12P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~2.0M
Purpose：Transport、 Fishing、Breeding...



[Petrel Propeller 7GSJ20]

Model：7GSJ20
Name：20P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~3.0M
Purpose：Transport、 Fishing、Breeding...



[Petrel Propeller 7GSJ28]

Model：7GSJ28
Name：28P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~3.0M
Purpose：Transport、 Fishing、Breeding...



[Petrel Propeller 7GSJ32]

Model：7GSJ32
Name：32P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~3.0M
Purpose：Transport、 Fishing、Breeding...

LANDLINE MACHINE SERIES



[Petrel Propeller 7GSJ36]

Model：7GSJ36
Name：36P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~3.0M
Purpose：Transport、 Fishing、Breeding...



[Petrel Propeller 7GSJ60]

Model：7GSJ60
Name：60P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：0.6~3.0M
Purpose：Transport、 Fishing、Breeding...



[Petrel Propeller 7GSJ80]


Model：7GSJ80
Name：80P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：1.0~3.0M
Purpose：Transport、 Fishing、Breeding...




[Petrel Propeller 7GSJ120]

Model：7GSJ120
Name：120P landline machine
Material：Stainless steel、Cast iron、Cast steel
Specification：1.0~3.0M
Purpose：Transport、 Fishing、Breeding...

DIRECT PROPELLER SERIES



Model：7GZ6.5/85
Name：Direct Propeller
Material：Seamless Steel Pipe
Specification Of Propeller：$6\frac{1}{2}$




Model：7GZ8.5/100
Name：Direct Propeller
Material：Seamless Steel Pipe
Specification Of Propeller：$8\frac{1}{2}$

PROPELLER PARTS


















PARAMETER LIST

Number	Model	specifications (m)	Matching power (KW	Upper tank oil filling(L	Lower tank oil filling(L	Amount of slots in the pulley	Pulley type	Matching vessel (T	No-load speed(节	Package size (Cm)	G.W. (Kg)	N.W. (Kg
1	7GS6	0.60-2.00	4.40	≥0.8	≥1.0	3	B	≥3	≥9.5	40*30*110	45	40
2	7GS8	0.60-2.00	5.90	≥0.8	≥1.0	3	B	≥6	≥10	40*30*110	68	60
3	7GS10	0.60-2.00	7.40	≥0.9	≥1.5	3	B	≥8	≥10.5	40*30*110	68	62
4	7GS10-1	0.60-2.00	7.40	≥0.9	≥1.5	3	B	≥8	≥10.5	40*30*110	72	66
5	7GS10-2	0.60-2.00	7.40	≥0.9	≥1.5	3	B	≥8	≥10.5	40*30*110	72	66
6	7GS12	0.60-3.00	8.80	≥1.3	≥2.0	3	B	≥10	≥10.5	42*30*120	90	85
7	7GS20	0.60-3.00	16.30	≥1.3	≥2.5	4	B	≥16	≥10.5	48*30*120	100	90
8	7GS28	0.60-3.00	22.20	≥1.3	≥2.5	4	B	≥18	≥10.5	48*30*120	100	90
9	7GSJ6	0.60-2.00	4.40	≥0.8	≥1.0	3	B	≥3	≥10.5	30*20*110	45	40
10	7GSJ8	0.60-2.00	5.90	≥0.8	≥1.0	3	B	≥6	≥10.5	30*20*110	68	60
11	7GSJ10	0.60-2.00	7.40	≥1.3	≥1.5	3	B	≥8	≥10.5	30*20*110	68	62
12	7GSJ12	0.60-3.00	8.80	≥1.4	≥2.0	3	B	≥10	≥10.5	30*20*115	90	85
13	7GSJ20	0.60-3.00	16.30	≥1.4	≥2.5	4	B	≥16	≥10.5	30*20*115	100	90
14	7GSJ28	0.60-3.00	22.20	≥1.4	≥2.5	4	B/C	≥18	≥10.5	30*20*115	100	90
15	7GSJ32	0.60-3.00	24.00	≥1.8	≥2.5	4	B/C	≥20	≥11.00	30*25*115	105	95
16	7GSJ36	0.60-3.00	35.60	≥2.0	≥3.0	4	B/C	≥25	≥10.5	30*30*115	180	167
17	7GSJ60	0.60-3.00	51.80	≥2.0	≥4.0	5	C	≥30	≥10.5	30*30*115	200	189
18	7GSJ80	1.00-3.00	59.20	≥4.0	≥6.0	6	C	≥40	≥11.00	50*45*115	270	237
19	7GSJ120	1.00-3.00	111.00	≥5.0	≥9.0	6	C/D	≥60	≥11.00	54*48*120	340	315